## DOCUMENT RESUME

ED 056 097 TN 000 909

AUTHOR Livingston, Samuel A.; Stanley, Julian C.
TITLE What is the True Coefficient of Partial

Correlation?

INSTITUTION Johns Hopkins Univ., Baltimore, Md. Center for the

Study of Social Organization of Schools.

SPONS AGENCY Office of Education (DHEW), Washington, D.C.

REPORT NO R-107 PUB DATE Jul 71

GRANT OEG-2-7-061610-0207

NOTE 14p.

EDRS PRICE MF-\$0.65 HC-\$3.29

DESCRIPTORS \*Correlation: Multiple Regression Analysis:

\*Statistical Analysis: \*True Scores

#### ABSTRACT

Although partial correlation is a correlation of residuals, the correlation of the true-score components of these residuals is not equivalent to the partial correlation of the true scores themselves. The source of this discrepancy is explained and its implications are briefly discussed. (Author)



## eriler IZation 005609

REPORT No. 107

JULY, 1971

WHAT IS THE TRUE COEFFICIENT OF PARTIAL COMMELATION?

SAMUEL A. LIVINGSTON

JULIAN C. STANLEY

# MSITORIS MERN

#### STAFF

## John L. Holland, Director

## James M. McPartland, Assistant Director

Virginia Bailey

Thelma Baldwin

Zahava D. Blum

Judith P. Clark

James S. Coleman

David DeVries

Keith Edwards

Doris R. Entwisle

Gail Fennessey

James Fennessey

Jean Finnegan

Ellen Greenberger

Rubie Harris

Edward J. Harsch

Robert T. Hogan

John H. Hollifield

Nancy L. Karweit

Judith Kennedy

Steven Kidder

Hao-Mei Kuo

Samuel Livingston

Edward L. McDill

Rebecca J. Muraro

Jeanne O'Connor

Suzanne K. Pieper

Peter H. Rossi

Leslie Schnuelle

Aage B. Sørensen

Julian C. Stanley

Mary C. Viernstein

Diana F. Ward

Murray A. Webster

Phyllis K. Wilson



## What Is the True Coefficient of Partial Correlation?

GRANT NO. OEG-2-7-061610-0207

PROJECT NO. 61610-01

Samuel A. Livingston

Julian C. Stanley

REPORT NO. 107

JULY, 1971

U.S. DEPARTMENT OF HEALTH,
EDUCATION & WELFARE
OFFICE OF EDUCATION
THIS DOCUMENT HAS BEEN REPRODUCED EXACTLY AS RECEIVED FROM
THE PERSON OR ORGANIZATION ORIGINATING IT, POINTS OF VIEW OR OPINIONS STATEO OO NOT NECESSARILY
REPRESENT OFFICIAL OFFICE OF EOUCATION POSITION OR POLICY.

Published by the Center for Social Organization of Schools, supported in part as a research and development center by funds from the United States Office of Education, Department of Health, Education, and Welfare. The opinions expressed in this publication do not necessarily reflect the position or policy of the Office of Education, and no official endorsement by the Office of Education should be inferred.

The Johns Hopkins University

Baltimore, Maryland



#### INTRODUCTORY STATEMENT

The Center for Social Organization of Schools has two primary objectives: to develop a scientific knowledge of how schools affect their students, and to use this knowledge to develop better school practices and organization.

The Center works through five programs to achieve its objectives. The Academic Games program has developed simulation games for use in the classroom, and is studying the processes through which games teach and evaluating the effects of games on student learning. The Social Accounts program is examining how a student's education affects his actual occupational attainment, and how education results in different vocational outcomes for blacks and whites. The Talents and Competencies program is studying the effects of educational experience on a wide range of human talents, competencies, and personal dispositions in order to formulate-and research - important educational goals other than traditional academic achievement. The School Organization program is currently concerned with the effects of student participation in social and educational decision-making, the structure of competition and come ratio reward systems, ability-graph garage sois, and effects of school quality. The Careers and Curricula program bases its work upon a theory of career development. It has developed a self-administered vocational guidance device to promote vocational development and to foster satisfying curricular decisions for high school, college, and adult populations.

This report, like others occasionally published by the Center, deals with a subject common to all programs -- that of scientific measurement.



ii

## Acknowledgment

We thank Frederic M. Lord and Carl E. Bereiter for their help in clarifying the problems presented in this article.



iii

#### Abstract

Although partial correlation is a correlation of residuals, the correlation of the true-score components of these residuals is not equivalent to the partial correlation of the true scores themselves. The source of this discrepancy is explained and its implications are briefly discussed.



The correction of the first-order partial correlation coefficient for attenuation due to errors of measurement reveals a seeming paradox in test-score theory. Lord (1958, pp. 440-441) and Bereiter (1963, p. 8) have touched on the problem in connection with measures of change, as has Stanley (1971, pp. 389-390) in connection with the reliability of errors of estimate. However, none of these authors directly confronts the discrepancy discussed below.

Partial correlation is defined as a correlation of residuals,

$$\rho_{xy.w} = \rho_{(x - \hat{x}|w)(y - \hat{y}|w)},$$

where  $\hat{x}|w$  and  $\hat{y}|w$  are the least-squares linear regression estimates of  $\underline{x}$  and  $\underline{y}$ , respectively, from  $\underline{w}$ . One might then expect the true partial correlation coefficient to be  $\rho(T_{\underline{x}} - T_{\hat{x}}|w)(T_{\underline{y}} - T_{\hat{y}}|w)$ , where

 $T_{\hat{x}|w}$  and  $T_{\hat{y}|w}$  are the true-score components of the estimates. The seeming paradox is that when this expression is expanded, it yields an expression which is not equivalent to the partial correlation of the true scores themselves. The partial correlation of the true scores is the correlation of a different set of residuals:

$$\rho_{\mathbf{T}_{\mathbf{x}}\mathbf{T}_{\mathbf{y}},\mathbf{T}_{\mathbf{w}}} = \rho_{\mathbf{T}_{\mathbf{x}}} - \hat{\mathbf{T}}_{\mathbf{x}} | \mathbf{T}_{\mathbf{w}}) (\mathbf{T}_{\mathbf{y}} - \hat{\mathbf{T}}_{\mathbf{y}} | \mathbf{T}_{\mathbf{w}}) ,$$

where  $\hat{T}_x|T_w$  and  $\hat{T}_y|T_w$  are the least squares linear-regression estimates of  $T_x$  and  $T_y$ , respectively, from  $T_w$ 



The source of the discrepancy-that the two correlations are not equivalent-lies in the fact that the true-score component of the estimate of  $\underline{x}$  from  $\underline{w}$  is generally not equal to the estimate of  $\underline{T}_{\underline{x}}$  from  $\underline{T}_{\underline{w}}$ . We can, without loss of generality, let  $\underline{w}$ ,  $\underline{x}$ , and  $\underline{y}$  represent deviations from their respective means. Then

$$T_{\hat{x}|w} \not\equiv \hat{T}_{x}|T_{w}$$
; that is,

$$T_{(\beta_{xw}^{w} + \alpha_{xw})} \stackrel{\exists}{=} \beta_{T_{x}^{T_{w}}} T_{w}$$

Similarly,  $T_{\hat{y}|w} \not\equiv \hat{T}_y | T_w$ .

In fact, the two expressions  $T_{\hat{x}|w}$  and  $\hat{T}_x|T_w$  will be equivalent only when  $\rho_{ww}$  = 1, that is, when the predictor is perfectly reliable.

To demonstrate this fact, we must first show that the regression coefficient  $\beta_{xw}$  is constant over forms (i.e., repeated measurements). is, if we assume that the individual true scores  $T_x$  and  $T_w$  and the variance error of measurement  $\sigma_{e_w}^2$  are constant from form to form, and that  $\sigma_{e_w}^2$ ,  $\sigma_{T_w}^2$ ,  $\sigma_{e_w}^2$ , and  $\sigma_{T_w}^2$  are all zero. 2



The symbol ₹ is used here to indicate the absence of an identity; the two expressions it separates are not equal for all values of the variables involved.

<sup>&</sup>lt;sup>2</sup>Note that  $\beta_{xw} = \sigma_{wx}/\sigma_{w}^2 = \sigma_{T_wT_x}/(\sigma_{T_w}^2 + \sigma_{e_w}^2)$ .

The true score of  $\hat{x}|w$  is defined as its expectation over forms:

$$T_{\hat{\mathbf{x}}|\mathbf{w}} = E_{\mathbf{f}}(\hat{\mathbf{x}}_{\mathbf{f}}|\mathbf{w}) = E_{\mathbf{f}}(\beta_{\mathbf{x}\mathbf{w}}\mathbf{w}_{\mathbf{f}})$$
.

Since  $\beta_{xw}$  and  $\alpha_{xw}$  are constant over forms,

$$T_{\hat{x}|w} = \beta_{xw} E_f(w_f) = \beta_{xw} T_w$$
.

Therefore, the regression coefficient for estimating the true-score component of  $\hat{\mathbf{x}}|\mathbf{w}$  from the true-score component of  $\mathbf{w}$  is the same as the regression coefficient for estimating  $\underline{\mathbf{x}}$  from  $\underline{\mathbf{w}}$ . Figure 1 illustrates this fact.

What about the regression coefficient for estimating the true-score component of  $\underline{x}$  itself (rather than of  $\hat{x}|w$ ) from the true-score component of w? It is

$$\beta_{\mathbf{T_x}^{\mathbf{T_w}}} = \frac{\sigma_{\mathbf{T_w}^{\mathbf{T_x}}}}{\sigma_{\mathbf{T_w}^{\mathbf{Z}}}^2} = \frac{\sigma_{\mathbf{wx}}}{\rho_{\mathbf{ww}}, \sigma_{\mathbf{w}}^2} = \frac{\beta_{\mathbf{xw}}}{\rho_{\mathbf{ww}}},$$

which is  $\beta_{XW}$  corrected for attenuation. Since  $0 \le \rho_{WW}$ ,  $\le 1$ ,  $\beta_{T_X T_W} \ge \beta_{XW}$ . Therefore, for a given set of scores,  $\hat{T}_X | T_W$  will have greater variance than  $T_{\hat{X}|W}$ . For any individual observed score W (other than the mean),  $T_{\hat{X}|W}$  will lie closer to the mean than will






Figure 1

The true-score component of a linear-regression estimate.

 $\hat{T}_{x}|_{T_{w}}$ . Figure 2 illustrates this fact.

When the first of the two correlations,  $\rho(T_x - T_{\hat{x}|w})(T_y - T_{\hat{y}|w})$ , is expressed in terms of the zero-order correlations, reliability coefficients, and standard deviations of  $\underline{w}$ ,  $\underline{x}$ , and  $\underline{y}$ , the standard deviations cancel out, leaving

(1) 
$$\frac{\rho_{xy} - \rho_{wx}\rho_{wy}}{\sqrt{[\rho_{xx}, -\rho_{wx}^{2}(2 - \rho_{ww},)][\rho_{yy}, -\rho_{wy}^{2}(2 - \rho_{ww},)]}}.$$

When the second of the two correlation coefficients,  $\rho_{(T_x - \hat{T}_x | T_w)(T_y - \hat{T}_y | T_w)} \text{, is expanded in a similar manner, the resulting expression is}$ 

(2) 
$$\frac{\rho_{ww}, \rho_{xy} - \rho_{wx}\rho_{wy}}{\sqrt{(\rho_{ww}, \rho_{xx}, - \rho_{wx}^2)(\rho_{ww}, \rho_{yy}, - \rho_{wy}^2)}}.$$

These two expressions are generally not equivalent. They become equivalent when  $\rho_{ww}$  = 1, that is, when the predictor variable is perfectly reliable.

Formula (2) is equivalent to the expression that results from correcting the zero-order correlations for attenuation before entering them into the partial correlation formula. That is,






Figure 2.

The true-score estimate of  $\underline{x}$  lies further from the mean than the true-score component of the raw-score estimate of  $\underline{x}$  .



$$\frac{\rho_{T_{x}T_{y}} \cdot T_{w} = \rho_{(T_{x} - \hat{T}_{x} | T_{w})} (T_{y} - \hat{T}_{y} | T_{w})}{\sqrt{(1 - \rho_{T_{w}T_{x}}^{2}) (1 - \rho_{T_{w}T_{y}}^{2})}}$$

$$\frac{\rho_{xy}}{\sqrt{\rho_{xx'} \cdot \rho_{yy'}}} - \left(\frac{\rho_{wx}}{\sqrt{\rho_{ww'} \cdot \rho_{xx'}}}\right) \left(\frac{\rho_{wy}}{\sqrt{\rho_{ww'} \cdot \rho_{yy'}}}\right)$$

$$\frac{\rho_{xy}}{\sqrt{\rho_{ww'} \cdot \rho_{xx'}}} \left(1 - \frac{\rho_{wy}^{2}}{\rho_{ww'} \cdot \rho_{yy'}}\right)$$

Thus the discrepancy. Although the partial correlation coeff cient is a correlation of residuals that result when  $\underline{x}$  and  $\underline{y}$  are stimated from  $\underline{w}$ , the partial correlation based on the true scores as not equivalent to the correlation of the true-score components of the residuals that result when  $\underline{x}$  and  $\underline{y}$  are estimated from  $\underline{w}$ .

The question posed in the title of this paper can then be answered as follows: If one wishes to know what the value of a partial correlation would have been if all three variables had been measured without error, he should use  $\rho_{T_{\mathbf{X}}T_{\mathbf{y}},T_{\mathbf{w}}}$ , which he can compute by correcting

each of the three zero-order correlations for attenuation before entering them into the partial correlation formula. On the other hand, if he has computed the residuals  $(x-\hat{x}|w)$  and  $(y-\hat{y}|w)$  from observed scores and wishes to know how highly these residuals themselves would correlate if corrected for attenuation, he must use  $\rho(T_x-T_{\hat{x}|w})(T_y-T_{\hat{y}|w})$ ,

which he can compute from the <u>uncorrected</u> zero-order correlations by formula (1).



## References

- Bereiter, C. E. Some persisting dilemmas in the measurement of change. In C. W. Harris (Ed.), <u>Problems in measuring change</u>. Madison: University of Wisconsin Press, 1963. Pp. 3-20
- Lord, F. M. Further problems in the measurement of growth. Educationa and Psychological Measurement, 1958, 16, 437-454.
- Stanley, J. C. Reliability. Ch. 13 in R. L. Thorndike (Ed.), Educational measurement. (2nd ed.) Washington: American Council on Education, 1971.



14

